

Lot No:

Exp. Date:

Caution: For External Animal Use Only

This product is not to be used in animals intended for use as food for humans or other animals. Use of this product is prohibited in dogs, cats, and horses and in food-producing species such as cattle, pigs, chickens, turkeys, rabbits, deer, ducks, pigeons and turtles.

F10[®]

Antiseptic Barrier Ointment

(Benzalkonium chloride and
Polyhexanide topical ointment)

Active Ingredients

Benzalkonium Chloride 0.405g/100mL
Polyhexanide 0.03g/100mL

Purpose

Antiseptic
Antiseptic

A BROAD SPECTRUM TOPICAL ANTISEPTIC OINTMENT

NOT APPROVED BY THE FDA

Legally marketed as an FDA Indexed Product under MIF 900-009.
Extra-label use is prohibited. It is a violation of Federal Law to use
this product in a manner other than as directed on the labeling.

Uses:

For the treatment of mild and localized cases of bumblefoot (pododermatitis) in caged raptors and pet birds.

For use as a topical antiseptic for :

- more severe cases of bumblefoot to assist healing after surgery in caged raptors and pet birds.
- surface wounds on raptors, pet birds, captive small mammals, captive reptiles and captive exotic/zoo mammals.

Use only when there is a reasonable certainty that the treated animal will not be consumed by humans or food-producing animals.

Do not use: Do not use with soaps or other chemicals.

Human Warnings:

Not for use in humans.
Keep out of reach of children.
If accidentally ingested, do not induce vomiting. Give milk or water to drink.
If accidental eye contact, hold eye open and rinse with water for 10 minutes.

Seek medical attention if necessary.

To obtain product information, including Material Safety Data Sheets (MSDS)
e-mail: info@f10products.com

Directions for Use:

Clean the wound prior to application. Apply a layer of ointment over the entire wound site once a day. Repeat daily until wound is healed or as advised by your veterinarian. If the wound does not show signs of healing after 5 days or worsens, contact your veterinarian.

Manufactured by:
Health and Hygiene (PTY) Ltd
Cnr Leader & Hoefsmid Streets
Stormill Ext. 10, South Africa
Tel: +27 11 474 1668
www.healthandhygiene.co.za
To report a suspected adverse reaction
e-mail: info@f10products.com
Adverse reactions may also be reported to the FDA/CVM at 1-888-FDA-VETS or <http://www.fda.gov/AnimalVeterinary/SafetyHealth>



Label revision: Nov 2014-3

Store between 15° - 30°C (59° to 86° F) in dry conditions

25g



Caution: For External Animal Use Only

This product is not to be used in animals intended for use as food for humans or other animals. Use of this product is prohibited in dogs, cats, and horses and in food-producing species such as cattle, pigs, chickens, turkeys, rabbits, deer, ducks, pigeons and turtles.



Antiseptic Barrier Ointment

(Benzalkonium chloride and Polyhexanide topical ointment)

<i>Active Ingredients</i>	<i>Purpose</i>
Benzalkonium Chloride 0.405g/100mL	Antiseptic
Polyhexanide 0.03g/100mL	Antiseptic

A BROAD SPECTRUM TOPICAL ANTISEPTIC OINTMENT

NOT APPROVED BY THE FDA

Legally marketed as an FDA Indexed Product under MIF 900-009. Extra-label use is prohibited. It is a violation of Federal Law to use this product in a manner other than as directed on the labeling.

Store between 15° - 30°C (59° to 86° F) in dry conditions

Net contents: 100g



Uses:

For the treatment of mild and localized cases of bumblefoot (pododermatitis) in caged raptors and pet birds.

For use as a topical antiseptic for :

- more severe cases of bumblefoot to assist healing after surgery in caged raptors and pet birds.
- surface wounds on raptors, pet birds, captive small mammals, captive reptiles, and captive exotic/zoo mammals.

Use only when there is a reasonable certainty that the treated animal will not be consumed by humans or food-producing animals.

Do not use: Do not use with soaps or other

LOT NO:

EXP. DATE:

chemicals.

Human Warnings:

Not for use in humans. Keep out of reach of children.

If accidentally ingested, do not induce vomiting. Give milk or water to drink.

If accidental eye contact, hold eye open and rinse with water for 10 minutes. Seek medical help if necessary.

To obtain product information, including Material Safety Data Sheet (MSDS)

e-mail:info@f10products.com

Directions for Use:

Clean the wound prior to application. Apply a layer of ointment over the entire wound site

once a day. Repeat daily until wound is healed or as advised by your veterinarian. If the wound does not show signs of healing after 5 days or worsens, contact your veterinarian.

Manufactured by:

Health and Hygiene (Pty) Ltd
Cnr. Leader & Hoefsmid Streets, Stormill Ext.10
South Africa

Tel: +27 11 474 1668

www.healthandhygiene.co.za

To report a suspected adverse reaction

e-mail:info@f10products.com

Adverse reactions may also be reported to the

FDA/CVM at 1-888-FDA-VETS or

http://www.fda.gov/AnimalVeterinary/SafetyHealth

Label revision: Nov. 2014-3





Caution: For External Animal Use Only

This product is not to be used in animals intended for use as food for humans or other animals. Use of this product is prohibited in dogs, cats, and horses and in food-producing species such as cattle, pigs, chickens, turkeys, rabbits, deer, ducks, pigeons and turtles.

F10[®]

Antiseptic Barrier Ointment

(Benzalkonium chloride and Polyhexanide topical ointment)

Active Ingredients

Benzalkonium Chloride 0.405g/100mL

Polyhexanide 0.03g/100mL

Purpose

Antiseptic

Antiseptic

A BROAD SPECTRUM TOPICAL ANTISEPTIC OINTMENT

NOT APPROVED BY THE FDA

Legally marketed as an FDA Indexed Product under MIF 900-009. Extra-label use is prohibited. It is a violation of Federal Law to use this product in a manner other than as directed on the labeling.

Store between 15° - 30°C (59° to 86° F) in dry conditions

Net contents: 500g

Uses:

For the treatment of mild and localized cases of bumblefoot (pododermatitis) in caged raptors and pet birds.

For use as a topical antiseptic for :

- more severe cases of bumblefoot to assist healing after surgery in caged raptors and pet birds.
- surface wounds on raptors, pet birds, captive small mammals, captive reptiles, and captive exotic/zoo mammals.

Use only when there is a reasonable certainty that the treated animal will not be consumed by humans or food-producing animals.

Do not use: Do not use with soaps or other chemicals.

Human Warnings:

Not for use in humans. Keep out of reach of children. If accidentally ingested, do not induce vomiting.

Give milk or water to drink.

If accidental eye contact, hold eye open and rinse with water for 10 minutes. Seek medical help if necessary.

LOT NO:

EXP. DATE:

To obtain product information, including Material Safety Data Sheet (MSDS) e-mail:info@f10products.com

Directions for Use:

Clean the wound prior to application. Apply a layer of ointment over the entire wound site once a day. Repeat daily until wound is healed or as advised by your veterinarian. If the wound does not show signs of healing after 5 days or worsens, contact your veterinarian.

Manufactured by:

Health and Hygiene (Pty) Ltd

Cnr. Leader & Hoefsmid Streets, Stormill Ext. 10 South Africa

Tel: +27 11 474 1668

www.healthandhygiene.co.za

To report a suspected adverse reaction

e-mail:info@f10products.com

Adverse reactions may also be reported to the FDA/CVM

at 1-888-FDA-VETS or

http://www.fda.gov/AnimalVeterinary/SafetyHealth

